













## Paw Brothers® Professional Grooming Tub (PBP89700)

### Included Items:

- Tub Basin (A)
- Three (3) piece backplash unit (B & C)
- Four (4) piece tub stand (D, E, & F)
- One (1) bag containing eight chrome-plated hex head bolts, one black hex head bolt, and one hex wrench (K, L, & M)
- One bag (1) containing thirty-five 3/8 x 1/2" bolts and thirty-five (35) 3/8" nuts (N & O)
- One (1) stainless steel drain assembly in a box (I)
- One (1) tube of silicone sealant and One (1) caulk gun to dispense sealant (J)
- One (1) shampoo rack (H)
- One (1) tub rack (G)



### Paw Brothers® Professional Grooming Tub

For additional help with this or any Paw Brothers® product contact us at:  
1(800)525-7387 or Visit us at [www.PawBrothers.com](http://www.PawBrothers.com)

# Tub Assembly Instructions

## Tools Needed To Assemble:

- ✓ One hex wrench (included in the packing box) to assemble the tub stand
- ✓ One caulk gun to apply the sealant (included in the packing box)
- ✓ #3 Phillips screwdriver to screw 1/2" bolts
- ✓ Pliers or wrench to hold nuts while screwing the bolts.

Two people are needed to assemble this tub.



## Step 1:

In a large open area, unpack all items from the shipping box. Count each item and set them aside. There are a total of 15 items in the box.

## Step 2:

Assemble the tub stand using the four tubular stand pieces (D, E & F). Begin with one side stand and loosely bolt this to the back stand unit using two chrome-plated hex head (K) bolts. Make sure the hole in the middle of the back stand unit is on top. Loosely bolt the other side stand to the back stand unit.

## Step 3:

Assemble the top of the stand to the three base pieces, using four chrome-plated hex head bolts (K). Make sure the hole in the top of the stand matches the hole in the back stand unit. Screw in the black hex head (L) bolt in this hole. Tighten all hex head bolts. Place the assembled tub stand in the area where the tub will be used.

**NOTE:** This tub is designed for left or right handed plumbing.

## Step 4:

Using help lift the tub basin and place it on top of the assembled tub stand. Make sure the drain hole is on the same side as the plumbing drain pipe, and the water supply. Apply sealant around the drain hole. Install the stainless steel drain assembly (I).



## Step 5:

Assemble the backsplash unit (B & C) by using the 1/2" bolts and nuts (N & O). Before assembling, install the tube of silicone sealant in the caulk gun. Remove the nozzle from the sealant tube, and cut the tip off of the tube. Screw the nozzle back onto the tube. Apply the sealant to the flanges which join the side pieces to the backsplash. Loosely bolt both side pieces to the back backsplash. Make sure the faucet hole openings are down, and the side pieces smooth surfaces face inward. Tighten all bolts. Remove any excess sealant.



## Step 6:

Apply the sealant to the lip of the tub basin where the assembled backsplash unit will rest. Only apply the sealant to three sides. Using help, place the assembled backsplash unit on top of the tub lip. Install all remaining 1/2" bolts and nuts (N & O) in the holes of the tub and the backsplash unit. Tighten all bolts. Remove any excess sealant.

## Step 7:

Install the tub rack and the shampoo rack.

**NOTE:** This tub is designed for left or right handed plumbing.






# Paw Brothers® Professional Grooming Tub (PBP89700)

## Tub Includes

- ✓ Shampoo Rack
- ✓ Silicon Sealant
- ✓ Stainless Steel Hair Strainer
- ✓ Tub Rack

**Assembly Required**




## Paw Brothers® Professional Grooming Tub

- ✓ Coordinates With Paw Brothers® Professional Electric Grooming Table And Modular Cages

The Paw Brothers® Professional Grooming Tub is a heavy-duty tub designed for professional use. The backslashes are reversible for right and left plumbing configurations. The plumbing holes in each side allow for 4 or 8" faucet hookups. When not in use these holes are tightly sealed with removable plugs. The backslash features four U shaped bolts for securing animal restraints. The tub is constructed of 20-gauge steel with an attractive off-white powder coat finish. Assembly is required. Tub includes silicon sealant to waterproof seams. Tub also comes with stainless steel hair strainer, tub rack to keep pets above suds and dirty water, and shampoo rack which hooks onto the backslash. Assembled tub measures 48"L x 25 3/4"W x 15 1/4" D with an overall height of 56 3/4"H. Tub rack measures 35 3/8"L x 23 7/8"W x 6"H. Shipping weight of 108 lbs.

- PBP89700** Paw Brothers® Professional Grooming Tub
- PBP89750** Replacement Shampoo Rack
- PBP89760** Replacement Tub Floor Rack
- PBP89770** Replacement Hair Strainer



1(800)525-7387

www.RyansPet.com

FAX: 1(602)258-4900